


Alkenes Exam Style Questions

1 This question is about the reactions of cyclopentene, C_5H_{10} .



- a Draw the skeletal formula of the product made from Reaction 1 and the main product from Reaction 2 in the boxes above. (2 marks)
- b Give the reagents and conditions needed for Reaction 3 to take place.

.....
..... (1 mark)

- c Name the product of Reaction 3. (1 mark)
-

- d Reaction 2 demonstrates the test for unsaturation by the addition of bromine. State the colour change you would expect to observe during this reaction.


Colour change from _____ to _____ (1 mark)

2. Polybut-1-ene is made by the polymerisation of the monomer but-1-ene.

a Write an equation to show this polymerisation reaction.

(2 marks)

b Polymers that are soluble in water have been developed for use as plastic pouches to hold dishwasher liquid and laundry gels. A portion of one of these polymer chains is shown below:



i Suggest the monomer of this polymer.


(1 mark)

ii Suggest why this polymer is soluble, but polybut-1-ene is insoluble in water.

.....
.....
.....

(2 marks)

3. The following alkene will undergo a reaction with hydrogen chloride to produce two possible products.



- a Name the alkene.

.....

(1 mark)

- b Name the type of mechanism for the reaction of this alkene with hydrogen chloride.

.....

(2 marks)

- c Draw the mechanism for the reaction that will produce the **major** product. Use curly arrows, partial charges and charges where relevant.

(4 marks)

- d Explain, using Markownikoff's rule, why this product is the major product.

.....

.....

.....

(1 mark)

- e Name the minor product formed.

.....


(1 mark)

- ii There are other aliphatic alkenes, besides hex-2-ene, which also have a molecular formula of C_6H_{12} . Some of these alkenes can show *E/Z* stereoisomerism.

Draw the structures of two other **different** alkenes, both with a molecular formula C_6H_{12} , which can both show *E* and *Z* stereoisomers.

(2 marks)

- e i Use the Cahn–Ingold–Prelog priority rules to identify whether the following structure is the *E* or *Z* stereoisomer. Explain your answer.



.....

.....

.....

(2 marks)

- ii Why can this molecule **not** be labelled as either '*cis*' or '*trans*'?

.....

.....

(1 mark)